PHYSICS AND CHEMISTRY OF MINERALS

In Cooperation with the International Mineralogical Association (IMA)

Volume 6 · 1980

Edited by S.S. Hafner, A.S. Marfunin, C.T. Prewitt

T.J. Ahrens, Pasadena

A. Authier, Paris

P.M. Bell, Washington

G.B. Bokij, Moscow

V. Gabis, Orléans la Source

G.V. Gibbs, Blacksburg

T. Hahn, Aachen

H. Jagodzinski, Munich

J.C. Jamieson, Chicago

N. Kato, Nagoya

R.C. Liebermann, Stony Brook

J.D.C. McConnell, Cambridge,

U.K.

A.C. McLaren, Clayton

N. Morimoto, Kyoto

A. Navrotsky, Tempe

R.E. Newnham, University Park

A.F. Reid, Port Melbourne

R.D. Shannon, Wilmington

D.W. Strangway, Toronto

I. Sunagawa, Sendai

V.M. Vinokurov, Kazan

E.J.W. Whittaker, Oxford

B.J. Wuensch, Cambridge,

Massachusetts



Springer International

Physics and Chemistry of Minerals

The exclusive copyright for all languages and countries, including the right, for photomechanical and any other reproductions, also in microform, is transferred to the publisher.

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Authors of this journal can benefit from library and photocopy fees collected by VG WORT if certain conditions are met. If an author lives in the Federal Republic of Germany or in West Berlin it is recommended that he contacts Verwertungsgesellschaft WORT, Abteilung Wissenschaft, Goethestrasse 49, D-8000 München 2, for detailed information.

Springer-Verlag, Berlin · Heidelberg · New York

Printers: Universitätsdruckerei H. Stürtz AG, Würzburg

Printed in Germany - © by Springer-Verlag Berlin-Heidelberg 1980

Author-Index of Volume 6, 1980

Amthauer, G. 19 Aranovich, L.Ya. 249

Bulka, G.R. 283

Cemič, L. 95 Czank, M. 85

Dautov, R.A. 269 Deliens, M. 129 Dempsey, M.J. 197 Dollase, W.A. 295

Gaite, J.M. 9 Gandais, M. 61 Geilikman, M.B. 1 Gibbs, G.V. 221, 305

Ha, T.-K. 37 Hake, H. 145 Hålenius, U. 77 Hartman, P. 313 Hasanova, N.M. 283 Hassib, A. 31 Hinze, E. 95, 157 Hsu, F.H. 47

Jenkins, H.D.B. 313 Jónás, K. 55

Kovacs, M.P. 61

Langer, K. 19 Larsson, S. 77 Leclerc, A. 327 Lehmann, G. 145 Liebau, F. 85 Liu, L.-g. 187

Maschmeyer, D. 145 Meier, R. 37

Nakajima, Y. 169 Newton, M.D. 221, 305 Niemann, K. 145 Nizamutdinov, N.M. 283 Nord, G.L. Jr. 109 Nover, G. 247 Nuding, W. 157 O'Keeffe, M. 305

Perchuk, L.L. 249

Räuber, A. 145

Schliestedt, M. 19 Senderov, E.E. 251 Shchepkin, V.D. 269

Tang Kai, A. 77 Taylor, D. 197

Ungvári, I. 55

Vainshtein, D.I. 269 Vance, E.R. 47 Vassányi, I. 55 Velde, B. 209 Vinokurov, V.M. 269, 283 Vochten, R. 129

Wenk, H.R. 169 Will, G. 95, 157, 247

Subject Index

All mineral names occurring in titles, subtitles, and abstracts are indexed. Mineral names **not** listed in the index of M. Fleischer, Glossary of Mineral Species, 1980, are marked with an asterisk (*). Chemical formulas are according to M. Fleischer (in some cases simplified) or as given by authors. Also indexed are revised subject key words submitted by the authors. The numbers refer to the title page or, in some cases, to a subtitle page.

```
A
                                                   sodium cadmium sulfate 269
                                                   sodium fluoride 269
alunite group
                                                dental enamel 55
  jarosite type MFe<sub>3</sub>(SO<sub>4</sub>)<sub>2</sub>(OH)<sub>6</sub> 327
                                                diamond anvil cell
andalusite Al, SiO, 77
                                                   lead oxide 187
antiphase boundary (APB)
                                                disiloxane (SiH<sub>a</sub>)<sub>a</sub>O 37
  plagioclase 169
                                                dislocation
apatite group
                                                   sanidine 61
  carbonate-hydroxylapatite 55
                                                dissymmetrization 283
  infrared absorption 55
                                                double nuclear magnetic resonance
autunite group
                                                   (DNMR)
  autunite Ca(UO<sub>2</sub>)<sub>2</sub>(PO<sub>4</sub>)·10-12H<sub>2</sub>O 129
                                                   calcium fluoride: Na + 269
  hydrogen autunite 129
                                                   sodium cadmium sulfate 269
  torbernite Cu(UO<sub>2</sub>)<sub>2</sub> (PO<sub>4</sub>)<sub>2</sub>·8–12H<sub>2</sub>O
                                                   sodium fluoride: Ca2+ 269
  129
beryl Be, Al, Si, O, 47
                                                 elastic properties
bulk modulus
                                                   sphalerite 1
  α cristobalite 305
                                                   wurtzite 1
  α quartz 305
                                                electric conductivity
                                                   fayalite 95
                                                   forsterite 95
                                                   olivine 95
calcium fluoride CaF2: Na + 269, 295
                                                electrokinetic properties
                                                   curite 129
carbonate-hydroxylapatite Ca<sub>5</sub>(PO<sub>4</sub>,Co<sub>3</sub>)
                                                   meta-autunite group 129
  (OH) 55
                                                electron delocalization
cesium chloride 295
                                                   deerite 19
chemical bond
                                                electron diffraction
  Si-O 221
                                                   orthopyroxene 109
citrine 145
                                                electron microscopy
coesite SiO, 221
                                                   orthopyroxene 109
compressibility
                                                   plagioclase 169
  ferrous oxide 157
                                                   pyroxmangite 85
  wuestite 157
                                                   rhodonite 85
cordierite Mg, Al, Si, O, 47
                                                   sanidine 61
cristobalite SiO,
                                                electron paramagnetic resonance (EPR)
  α cristobalite 305
                                                   citrine 145
crystal growth 283
                                                   forsterite 9
curite Pb2U5O17.4H2O
                        129
                                                   pseudo-symmetry 9
                                                   quartz 145
                                                   smoky quartz 145
                                                   sodalite: Mn2+
deerite (Fe,Mn,AI),Si,O20(OH),5
                                                   sodium cadmium sulfate 283
defects 295
                                                   zinc selenate 283
  calcium fluoride 269
```

electronic structure	M
andalusite 77	meta-autunite group
disiloxane 37	meta-autunite Ca(UO ₂) (PO ₄) ₂ · 2-6 H ₂ O
electrostatic energy	129
mica 313	metatorbernite Cu(UO ₂) ₂ (PO ₄) ₂ ·8H ₂ O 129
F	mica group
faulta	electrostatic energy 313
faults	mica 313
pyroxenoid 85	mixed valence
rhodonite 85	deerite: Fe ²⁺ , Fe ³⁺ 19
feldspar group albite NaAlSi ₃ O ₈ 251	Mössbauer spectra cf. nuclear gamma
bytownite 169	ray resonance
labradorite 169	molecular orbital (MO) theory
phase transition 251	disiloxane 37
plagioclase (Na,Ca) (Al,Si) ₄ O ₈ 169	siloxane 221
order-disorder 251	Si-O 221
sanidine 61	31-0 221
ferrous oxide	N
compressibility 157	N
iluorite	nuclear gamma ray resonance (NGR)
CaF ₂ : Na ⁺ , synthetic 269	deerite, ⁵⁷ Fe 19
fluorite type	jarosite type, ⁵7Fe 327
lead oxide 187	
force constants	0
α cristobalite 305	. 0. 200
α quartz 305	olivine group
	electrical conductivity 95
G	electron paramagnetic resonance 9
	fayalite Fe ₂ SiO ₄ 95
guinier-preston zone	forsterite Mg ₂ SiO ₄ 95 olivine (Mg,Fe) ₂ SiO ₄ 95
orthopyroxene 109	pseudo-symmetry 9
	optical absorption
Н	andalusite 77
high pressure	order-disorder
lead oxide 187	albite 251
hydrogen autunite 129	plagioclase 169
	serpentine 209
	orthopyroxene (Mg,Fe)SiO ₃
•	electron diffraction 109
infrared absorption (IR)	electron microscopy 109
apatite 55	guinier-preston zone 109
serpentine 209	pyroxene 109
	orthosilic acid H ₂ SiO ₄ 221
К	oxidation state cf. mixed valence
kroehnkite type	P
sodium cadmium sulfate 269, 283	
	phase transition
L	albite 251
lattice dynamics	curite-meta-autunite 129
lattice dynamics	lead oxide 187
α quartz 305 lead oxide	spalerite-wurtzite 1
α lead oxide 187	positrons
	cordierite 47
lithium oxide 295	beryl 47

nce

electron paramagnetic resonance 9 forsterite 9 yrosilic acid H _e Si ₂ O ₇ 221 yroxene group orthopyroxene 109 subsolidus 109 yroxenoid faults 85 pyroxmangite 85 rhodonite 85 yroxmangite (Mn,Fe,Ca)SiO ₃ 85 faults 85 uartz SiO ₂ β quartz 221, 305 citrine 145 electron paramagnetic resonance 145 smoky quartz 145	sodalite group sodalite Na ₈ Al ₆ Si ₆ O ₂₄ Cl ₂ 31 sodalite Na ₈ Al ₆ Si ₆ O ₂₄ l ₂ 208 sodium chloride 295 sodium cadmium sulfate Na ₂ Cd(SO ₄) ₂ ·2H ₂ O electron paramagnetic resona 283 kroehnkite type 269, 283 sodium fluoride NaF: Ca ²⁺ 269 sphalerite group elastic properties 1 phase transition 1 sphalerite (Zn,Fe)S 1 structure modelling sodalite 208 subsolidus pyroxene 109 synthetic minerals jarosite type 327 serpentine 209 sodalite 208
smoky quartz 145	sodalite 208 wuestite 157

rare earth oxide 295 retgersite type NiSO₄·6H₂O zinc selenate 283 rhodonite (Mn,Ca)SiO₃ 85 faults 85

rutile group

lead oxide 187 rutile type 187

S

sanidine KAISi₃O₈
dislocation 61
electron microscopy 61
serpentine group
serpentine (Mg,Fe)₃Si₂O₅(OH)₄ 209
silicon oxygen 221
siloxane 221
site compliance 295
smoky quartz 145

thermal expansion sodalite 208

w

wuestite FeO compressibility 157 synthetic minerals 157 wurtzite (Zn,Fe)S elastic properties 1 phase transition 1

Z

zinc 295 zinc selenate ZnSeO₄·6H₂O electron paramagnetic resonance 283 retgersite type 283